


GH1600 Automated Plow System Specifications

Technical Data		
Plow Length	2969 mm	9.74 ft
Plow Heights	980-1230 mm	3.22-4.04 ft
	1180-1480 mm	3.87-4.86 ft
	1445-1745 mm	4.73-5.73 ft
Plow Heights (with gobside support)	1860-2160 mm	6.10-7.08 ft
Mechanical Height Adjustment	180-300 mm	0.59-0.98 ft
Cutting Depth	210 mm	0.69 ft
Weights	5600-	12,345-
	8600 kg	18,960 lb
Bottom Bit Positions		
Position 1	+12 mm	+0.04 ft
Position 2	-10 mm	-0.03 ft
Position 3	-21 mm	-0.07 ft
Position 4	-35 mm	-0.11 ft
Maximum Drive Power	2 × 800 kW	2 × 1,080 hp

Dimensions – Plow Body Setup Option 1

All dimensions are approximate.




1	1211 mm	3.97 ft	5	–	–
2	2969 mm	9.74 ft	6	1230 mm	4.04 ft
3	931 mm	3.05 ft	7	1032 mm	3.38 ft
4	–	–	8	578 mm	1.89 ft

GH1600 Automated Plow System Specifications

Dimensions – Plow Body Setup Option 2


All dimensions are approximate.



1	1211 mm	3.97 ft	5	285 mm	0.94 ft
2	2969 mm	9.74 ft	6	1480 mm	4.86 ft
3	931 mm	3.05 ft	7	1032 mm	3.38 ft
4	264 mm	0.87 ft	8	578 mm	1.89 ft

Dimensions – Plow Body Setup Option 3

All dimensions are approximate.




1	1211 mm	3.97 ft	5	285 mm	0.94 ft
2	2969 mm	9.74 ft	6	1745 mm	5.73 ft
3	931 mm	3.05 ft	7	1132 mm	3.71 ft
4	529 mm	1.74 ft	8	578 mm	1.89 ft

GH1600 Automated Plow System Specifications

Dimensions – Plow Body Setup Option 4

All dimensions are approximate.



1	1211 mm	3.97 ft	5	285 mm	0.94 ft
2	2969 mm	9.74 ft	6	2160 mm	7.09 ft
3	931 mm	3.05 ft	7	1132 mm	3.71 ft
4	944 mm	3.10 ft	8	578 mm	1.89 ft